Author Index

A

Aagaard P: See Andersen LL

Abboud G: See Panton LB

Adams H: See Sullivan MJL

Adolfsson LE: See Johansson KM

Alberts JL: See Frick EM

Andersen LL, Magnusson SP, Nielsen M, et al. Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. 2006;86:683–697.

Anderson J: See Sidaway B

Anson JG: See Latash ML

Archdeacon MT: See Paterno MV

Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. Gait symmetry and walking speed analysis following lower-extremity trauma. 2006;86:1630–1640.

Ardleigh K: See Jette DU

Armijo Olivo S: See McNeely ML

Asikainen TM, Suni JH, Pasanen ME, et al. Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. 2006;86:912–923.

Avin KG: See Warden SJ

Aycock DM: See Underwood J

B

Babb E: See Escamilla RF

Bakker AJM: See Kingma I

Barak Y, Wagenaar RC, Holt KG. Gait characteristics of elderly people with a history of falls: a dynamic approach. 2006;86:1501–1510.

Barile A: See Cacchio A

Barreca SR, Stratford PW, Masters LM, et al. Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. 2006;86:245–253.

Bartlett DJ, Lucy SD. Letter to the editor. [RE: A quantitative analysis of research publications in physical therapy journals.] 2006;86:763–764.

Beaton D. Invited commentary. [RE: Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee.] 2006;86:1496–1498.

Beaton DE: See Kennedy CA

Behrman AL. Editorial Board response to letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] 2006;86: 1445–1447.

Behrman AL, Bowden MG, Nair PM. Neuroplasticity after spinal cord injury and training: an emerging paradigm shift in rehabilitation and walking recovery. 2006;86:1406–1425.

Behrman AL: See Fritz SL

Berlin JE, Storti KL, Brach JS. Using activity monitors to measure physical activity in free-living conditions. 2006;86: 1137–1145.

Bhogal SK: See Foley NC

Bialkowski C: See Owen JL

Bicego D, Brown K, Ruddick M, et al. Exercise for women with or at risk for breast cancer–related lymphedema. 2006;86:1398–1405.

Binder-Macleod SA: See Keeton RB

Binder-Macleod SA: See Scott WB

Binder-Macleod SA: See Thompson WR

Binkley J: See Scott WB

Blanton S, Morris DM, Prettyman MG, et al. Lessons learned in participant recruitment and retention: the EXCITE trial. 2006;86:1520–1533.

Blanton S: See Underwood J

Borello-France DF, Zyczynski HM, Downey PA, et al. Effect of pelvic-floor muscle exercise position on continence and quality-of-life outcomes in women with stress urinary incontinence. 2006;86:974–986.

Borstad JD. Author response to letter to the editor. [RE: Resting position variables at the shoulder: evidence to support a posture-impairment association.] 2006;86:1443–1444.

Borstad JD. Resting position variables at the shoulder: evidence to support a posture-impairment association. 2006;86:549–557.

Bosscher RJ: See Faber MJ

Bosse MJ: See Archer KR

Bowden MG: See Behrman AL

Author Index

A

Aagaard P: See Andersen LL

Abboud G: See Panton LB

Adams H: See Sullivan MJL

Adolfsson LE: See Johansson KM

Alberts JL: See Frick EM

Andersen LL, Magnusson SP, Nielsen M, et al. Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. 2006;86:683–697.

Anderson J: See Sidaway B

Anson JG: See Latash ML

Archdeacon MT: See Paterno MV

Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. Gait symmetry and walking speed analysis following lower-extremity trauma. 2006;86:1630–1640.

Ardleigh K: See Jette DU

Armijo Olivo S: See McNeely ML

Asikainen TM, Suni JH, Pasanen ME, et al. Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. 2006;86:912–923.

Avin KG: See Warden SJ

Aycock DM: See Underwood J

B

Babb E: See Escamilla RF

Bakker AJM: See Kingma I

Barak Y, Wagenaar RC, Holt KG. Gait characteristics of elderly people with a history of falls: a dynamic approach. 2006;86:1501–1510.

Barile A: See Cacchio A

Barreca SR, Stratford PW, Masters LM, et al. Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. 2006;86:245–253.

Bartlett DJ, Lucy SD. Letter to the editor. [RE: A quantitative analysis of research publications in physical therapy journals.] 2006;86:763–764.

Beaton D. Invited commentary. [RE: Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee.] 2006;86:1496–1498.

Beaton DE: See Kennedy CA

Behrman AL. Editorial Board response to letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] 2006;86: 1445–1447.

Behrman AL, Bowden MG, Nair PM. Neuroplasticity after spinal cord injury and training: an emerging paradigm shift in rehabilitation and walking recovery. 2006;86:1406–1425.

Behrman AL: See Fritz SL

Berlin JE, Storti KL, Brach JS. Using activity monitors to measure physical activity in free-living conditions. 2006;86: 1137–1145.

Bhogal SK: See Foley NC

Bialkowski C: See Owen JL

Bicego D, Brown K, Ruddick M, et al. Exercise for women with or at risk for breast cancer–related lymphedema. 2006;86:1398–1405.

Binder-Macleod SA: See Keeton RB

Binder-Macleod SA: See Scott WB

Binder-Macleod SA: See Thompson WR

Binkley J: See Scott WB

Blanton S, Morris DM, Prettyman MG, et al. Lessons learned in participant recruitment and retention: the EXCITE trial. 2006;86:1520–1533.

Blanton S: See Underwood J

Borello-France DF, Zyczynski HM, Downey PA, et al. Effect of pelvic-floor muscle exercise position on continence and quality-of-life outcomes in women with stress urinary incontinence. 2006;86:974–986.

Borstad JD. Author response to letter to the editor. [RE: Resting position variables at the shoulder: evidence to support a posture-impairment association.] 2006;86:1443–1444.

Borstad JD. Resting position variables at the shoulder: evidence to support a posture-impairment association. 2006;86:549–557.

Bosscher RJ: See Faber MJ

Bosse MJ: See Archer KR

Bowden MG: See Behrman AL

Boyages J: See Taylor R

Boyd BS: See Topp KS

Brach JS: See Belin JE

Brennan GP, Fritz JM, Hunter SJ. Impact of continuing education interventions on clinical outcomes of patients with neck pain who received physical therapy. 2006;86:1251–1262.

Brown K: See Bicego D

Buccella D: See Ward AR

Bureau Y: See Foley NC

Burke W: See Burks R

Burks R, Burke W, Stevanovic M. Rehabilitation following repair of a torn latissimus dorsi tendon. 2006;86: 411–423.

Burnham T: See Escamilla RF

Busch J: See Escamilla RF

C

Cacchio A, Paoloni M, Barile A, et al. Effectiveness of radial shock-wave therapy for calcific tendinitis of the shoulder: single-blind, randomized clinical study. 2006;86:672–682.

Calvisi V: See Cacchio A

Campbell DD: See Israel JF

Campbell S: See Owen JL

Campbell SK. Are models of disability useful in real cases? Pediatric case examples realized in research, clinical practice, and education. 2006;86: 881–887.

Cardinal RW: See Warden SJ

Carey TS: See Freburger JK

Caron F: See Denis M

Castillo RC: See Archer KR

Chan L: See Frontera WR

Chandler K: See Jette DU

Chang HA: See Chuang TY

Chang SH: See Lin MR

Chai HM: See Jan MH

Chen CY: See Lin MR

Chen MF: See Tsai MW

Chen THH: See Tsai MW

Chiang LL, Wang LY, Wu CP, et al. Effects of physical training on functional status in patients with prolonged mechanical ventilation. 2006,86:1271–1281.

Chie WC: See Tsai MW

Chien CW: See Chou CY

Chien MY, Tsai MW, Wu YT. Evidence in Practice: Does cardiac rehabilitation improve quality of life for a man with coronary artery disease who received percutaneous transluminal coronary angioplasty with insertion of a stent? 2006;86:1703–1710.

Childs JD, Cleland JA. Author response to letter to the editor. [RE: Development and application of clinical prediction rules to improve decision making in physical therapist practice.] 2006; 86:760.

Childs JD, Cleland JA. Development and application of clinical prediction rules to improve decision making in physical therapist practice. 2006;86:122–131.

Chillala J: See Tyson SF

Chiu YP, Fritz SL, Light KE, Velozo CA. Use of item response analysis to investigate measurement properties and clinical validity of data for the Dynamic Gait Index. 2006;86:778–787.

Chuang TY, Sung WH, Chang HA, Wang RY. Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. 2006;86:1369–1377.

Chou CY, Chien CW, Hsueh IP, et al. Developing a short form of the Berg Balance Scale for people with stroke. 2006;86:195–204.

Chung P: See Lin MR

Ciccone CD: See Hoppenrath T

Cieza A: See Finger ME

Ciol MA: See Forkan R

Clark PC: See Underwood J

Cleland JA: See Childs JD

Clemente FR: See Somers DL

Clifford SN: See Fritz SL

Cole LL: See Nolan KW

Commean PK: See Mueller MJ

Conn DL: See Greene BL

Cooper RA: See Frontera WR

Craik RL. The Bottom Line. [RE: Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy.] 2006;86:1242.

Craik RL. Editor's note: Early crops. 2006;86:1186.

Craik RL. Editor's note: Interpreting systematic reviews: sometimes, more is better. 2006;86:910–911.

Craik RL. Editor's note: Opening the garden gate. 2006;86:1062–1063.

Craik RL. Editor's note: Physical therapist practice, like science, is a "self-correcting process." 2006;86:334–335.

Craik RL. Editor's postscript: Florence P Kendall, PT, FAPTA. 2006;86:336.

Craik RL: See Lopopòlo RB

Craik RL: See Palombaro KM

Cress ME: See Panton LB

Culp LB, Romani WA. Physical therapist examination, evaluation, and intervention following the surgical reconstruction of a grade III acromioclavicular joint separation. 2006;86:857–869.

D

Damiano DL. Activity, activity, activity: rethinking our physical therapy approach to cerebral palsy. 2006;86: 1534–1540.

Danielson G: See Sidaway B

D'Anna K: See Escamilla RF

Davidson J: See Stephens J

Davies DH: See Enright SJ

Davis SB: See Fritz SL

De Groot PCE: See Ter Woerds W

Denis M, Moffet H, Caron F, et al. Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: a randomized clinical trial. 2006;86: 174–185.

De Paulis F: See Cacchio A

DeRosa J: See Stephens J

Deutsch JE: See Schenkman M

De Weerdt W: See Verheyden G

DeWitt R: See Escamilla RF

Di Fabio RP: See Zampieri C

Don R: See Cacchio A

Downey PA, Siegel MI. Bone biology and the clinical implications for osteoporosis. 2006;86:77–91.

Downey PA: See Borello-France DF

Duncan PW: See Frontera WR

Durgun B: See Ince G

E

Enright SJ, Unnithan VB, Heward C, et al. Effect of high-intensity inspiratory muscle training on lung volumes, diaphragm thickness, and exercise capacity in subjects who are healthy. 2006;86:345–354.

Erdogan S: See Ince G

Escamilla RF, Babb E, DeWitt R, et al. Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. 2006;86: 656–671.

Eves FF: See Orrell AJ

F

Faber GS: See Kingma I

Faber MJ, Bosscher RJ, van Wieringen PCW. Clinimetric properties of the Performance-Oriented Mobility Assessment. 2006;86:944–954.

Falkner SJ: See Owen JL

Ferreira SH: See Jorge S

Fielding RA: See LeBrasseur NK

Finger ME, Cieza A, Stoll J, et al. Identification of intervention categories for physical therapy, based on the *International Classification of Functioning, Disability and Health*: a Delphi exercise. 2006;86:1203–1220.

Fish DR: See Ohtake PJ

Foldevi MOM: See Johannson KM

Foley NC, Bhogal SK, Teasell RW, et al. Estimates of quality and reliability with the Physiotherapy Evidence-Based Database Scale to assess the methodology of randomized controlled trials of pharmacological and nonpharmacological interventions. 2006;86:817–824.

Foord-May L. A faculty's experience in changing instructional methods in a professional physical therapist education program. 2006;86:223–235.

Ford JJ: See Hahne AJ

Ford KR: See Paterno MV

Forkan R, Pumper B, Smyth N, et al. Exercise adherence following physical therapy intervention in older adults with impaired balance. 2006;86: 401–410.

Fragala-Pinkham MA: See Haley SM

Frank DM: See Henley LD

Frascarelli M: See Cacchio A

Freburger JK, Carey TS, Holmes GM. Effectiveness of physical therapy for the management of chronic spine disorders: a propensity score approach. 2006;86:381–394.

Frenette J: See Godbout C

Frick EM, Alberts JL. Combined use of repetitive task practice and an assistive robotic device in a patient with subacute stroke. 2006;86:1378–1386.

Fritz JM: See Brennan GP

Fritz SL, Light KE, Clifford SN, et al. Descriptive characteristics as potential predictors of outcomes following constraint-induced movement therapy for people after stroke. 2006;86: 825–832.

Fritz SL: See Chiu YP

Frontera WR, Fuhrer MJ, Jette AM, et al. Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary. 2006;86:285–298.

Frontera WR, Ward RS. Prologue to "Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary." 2006;86:282–284.

Fruth SJ. Differential diagnosis and treatment in a patient with posterior upper thoracic pain. 2006;86:254–268.

Fuchs RK: See Warden SJ

Fuhrer MJ: See Frontera WR

G

Galvin D: See Paterno MV

Gill-Body KM: See Schenkman M

Godbout C, Frenette J. Author response to invited commentary. [RE: Periodic direct current does not promote wound closure in an in vitro dynamic model of cell migration.] 2006;86:63–65.

Godbout C, Frenette J. Periodic direct current does not promote wound closure in an in vitro dynamic model of cell migration. 2006;86:50–59.

Goldberg JL: See Miller NH

Goldie PA: See Williams GP

Gorter JW: See Verschuren O

Greco M: See Lopopolo RB

Greene BL, Haldeman GF, Kaminski A, et al. Factors affecting physical activity behavior in urban adults with arthritis who are predominantly African-American and female. 2006;86:510–519.

Greenwood KM: See Williams GP

Griffths J: See Barreca SR

Gustafson Y: See Littbrand H

H

Hahne AJ, Ford JJ. Functional restoration for a chronic lumbar disk extrusion with associated radiculopathy. 2006;86: 1668–1680.

Haines T: See Kennedy CA

Haldeman GF: See Greene BL

Haleem J: See Andersen LL

Haley SM, Fragala-Pinkham MA. Interpreting change scores of tests and measures used in physical therapy. 2006;86:735–743.

Hanley M: See Tyson SF

Hanten WP: See Lin J

Harrington KL, Haskvitz EM. Managing a patient's constipation with physical therapy. 2006;86:1511–1519.

Harris SR: See Bicego D

Harris SR: See Medlicott MS

Haskins AR, Kirk-Sanchez N. Author response to letter to the editor. [RE: Recruitment and retention of students from minority groups.] 2006; 86:757–759.

Haskins AR, Kirk-Sanchez N. Recruitment and retention of students from minority groups. 2006;86:19–29.

Haskvitz EM: See Harrington KL

Hastings MK: See Mueller MJ

Helders PJM: See Verschuren O

Henley LD, Frank DM. Reporting ethical protections in physical therapy research. 2006;86:499–509.

Heward C: See Enright SJ

Hewett TE: See Paterno MV

Ho CL, Holt KG, Saltzman E, Wagenaar RC. Functional electrical stimulation changes dynamic resources in children with spastic cerebral palsy. 2006;86: 987–1000.

Hogg-Johnson S: See Kennedy CA

Holmes GM: See Freburger JK

Holt KG: See Barak Y

Holt KG: See Ho CL

Holtgrefe KM. Twice-weekly complete decongestive physical therapy in the management of secondary lymphedema of the lower extremities. 2006;86: 1128–1136.

Hong Y: See Mao DW

Hopman MTE: See Ter Woerds W

Hoppenrath T, Ciccone CD. Evidence in Practice: Is there evidence that phonophoresis is more effective than ultrasound in treating pain associated with lateral epicondylitis? 2006;86: 136–140.

Hornby TG: See Israel JF

Howe BA: See Nawoczenski DA

Hsieh CL: See Chou CY

Hsieh CL: See Hsueh IP

Hsieh CL: See Wang HH

Hsieh YL. Effects of ultrasound and diclofenac phonophoresis on inflammatory pain relief: suppression of inducible nitric oxide synthase in arthritic rats. 2006;86:39–49.

Hsu CW: See Sun SF

Hsu PT: See Sun SF

Hsueh IP, Wang WC, Wang CH, et al. A simplified stroke rehabilitation assessment of movement instrument. 2006;86:936–943.

Hsueh IP: See Chou CY

Huber EO: See Finger ME

Hunter SJ: See Brennan GP

Hurley L: See Kennedy CA

Hwang C: See Lin MR

Hwang CW: See Sun SF

Hwang HF: See Lin MR

I

Ichihashi N: See Ohata K

Imamura RT: See Escamilla RF

Ince G, Sarpel T, Durgun B, Erdogan S. Effects of a multimodal exercise program for people with ankylosing spondylitis. 2006;86:924–935.

Irrgang J. The Bottom Line. [RE: Identification of intervention categories for physical therapy, based on the *International Classification of Functioning, Disability and Health*: a Delphi exercise.] 2006;86:1204.

Irrgang JJ. Invited commentary. [RE: Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment.] 2006;86:1033–1036.

Israel JF, Campbell DD, Kahn JH, Hornby TG. Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. 2006;86:1466–1478.

J

Jan MH, Chai HM, Wang CL, et al. Effects of repetitive shortwave diathermy for reducing synovitis in patients with knee osteoarthritis: an ultrasonographic study. 2006;86:236–244.

Jayasinghe UW: See Taylor R

Jette AM. Toward a common language for function, disability, and health. 2006;86:726–734.

Jette AM: See Frontera WR

Jette DU, Ardleigh K, Chandler K, McShea L. Decision-making ability of physical therapists: physical therapy intervention or medical referral. 2006;86:1619–1629.

Jew P: See Escamilla RF

Johannson KM, Adolfsson LE, Foldevi MOM. Author response to letter to the editor. [RE: Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial.] 2006;86:144–145.

Johnson E. The Bottom Line. [RE: Can low back loading during lifting be reduced by placing one leg beside the object to be lifted?] 2006;86:1092.

Johnson E. The Bottom Line. [RE: Impact of continuing education interventions on clinical outcomes of patients with neck pain who received physical therapy.] 2006;86:1252.

Johnston TE: See Scott WB

Jorge S, Parada CA, Ferreira SH, Tambeli CH. Interferential therapy produces antinociception during application in various models of inflammatory pain. 2006;86:800–808.

K

Kahn JH: See Israel JF

Kaminski A: See Greene BL

Karduna AR: See McClure PW

Kasai Y, Morishita K, Kawakita E, et al. A new evaluation method for lumbar spinal instability: passive lumbar extension test. 2006;86:1661–1667.

Kawakita E: See Kasai Y

Keeton RB, Binder-Macleod SA. Low-frequency fatigue. 2006;86:1146–1150.

Kelleher P: See Escamilla RF

Kellis E: See Kofotolis N

Kelly MK. The Bottom Line. [RE: Are teaching principles associated with improved motor performance in children with developmental coordination disorder? A pilot study.] 2006;86:1222.

Kelly MK. The Bottom Line. [RE: Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy.] 2006;86:1108.

Kemp JD: See Frontera WR

Kennedy CA, Manno M, Hogg-Johnson S, et al. Author response to invited commentary. [RE: Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment.] 2006;86:1036–1037.

Kennedy CA, Manno M, Hogg-Johnson S, et al. Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment. 2006;86:1013–1032.

Kennedy DM: See Stratford PW

Kessler CK: See Warden SJ

Ketelaar M: See Verschuren O

Ketelaer P: See Verheyden G

Kingma I, Faber GS, Bakker AJM, van Dieën JH. Can low back loading during lifting be reduced by placing one leg beside the object to be lifted? 2006;86:1091–1105.

Kingsley JD: See Panton LB

Kirk-Sanchez N: See Haskins AR

Kleim JA. Guest editorial: III STEP: a basic scientist's perspective. 2006;86:614–617.

Koel G. Letter to the editor. [RE: Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial.] 2006;86:143–144.

Koelmeyer L: See Taylor R

Kofotolis N, Kellis E. Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. 2006;86:1001–1012.

Kollen B, Kwakkel G, Lindeman E. Time dependency of walking classification in stroke. 2006;86:618–625.

Kondo T: See Kasai Y

Kriz M: See Stephens J

Kuo TBJ: See Tsai MW

Kwakkel G: See Kollen B

L

Lambert CL: See Barreca SR

Landgraff NC, Whitney SL, Rubinstein EN, Yonas H. Use of the Physical Performance Test to assess preclinical disability in subjects with asymptomatic carotid artery disease. 2006;86:541–548.

Latash ML, Anson JG. Synergies in health and disease: relations to adaptive changes in motor coordination. 2006;86:1151–1160.

LeBrasseur NK, Sayers SP, Ouellette MM, Fielding RA. Muscle impairments and behavioral factors mediate functional limitations and disability following stroke. 2006;86:1342–1350.

le Cessie S: See Vermeulen HM

Lee SCK: See Scott WB

Leonard R: See Ries JD

Lewis CL, Sahrmann SA. Acetabular labral tears. 2006;86:110–121.

Li JX: See Mao DW

Li LSW: See Tong RKY

Liao HF: See Wang HH

Light KE: See Blanton S

Light KE: See Chiu YP

Light KE: See Fritz SL

Lim HK: See Lin J

Lim SS: See Greene BL

Lin J, Hanten WP, Olson SL, et al. Shoulder dysfunction assessment: self-report and impaired scapular movements. 2006;86:1065–1074.

Lin JH: See Hsueh IP

Lin MR, Hwang HF, Chung KP, et al. Rating scale, standard gamble, and time trade-off for people with traumatic spinal cord injuries. 2006;86:337–344.

Lin MR, Hwang HF, Wang YW, et al. Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people. 2006;86:1189–1201.

Lin YF: See Jan MH

Lindelöf N: See Littbrand H

Lindeman E: See Kollen B

Liptak GS: See Nolan KW

Littbrand H, Rosendahl E, Lindelöf N, et al. A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. 2006;86:489–498.

Liu JP: See Tsai MW

Lo SK: See Hsueh IP

Lopopolo RB, Greco M, Sullivan D, et al. Effect of therapeutic exercise on gait speed in community-dwelling elderly people: a meta-analysis. 2006;86: 520–540.

Lott DJ: See Mueller MJ

Lower Extremity Assessment Project (LEAP) Study Group: See Archer KR

Lucy SD: See Bartlett DJ

Ludewig PM: See Nawoczenski DA

Lundin-Olsson L: See Littbrand H

Lundin-Olsson L: See Nordin E

M

MacKenzie EJ: See Archer KR

Magee DJ: See McNeely ML

Magnusson SP: See Andersen LL

Maher C. Letter to the editor. [RE: Development and application of clinical prediction rules to improve decision making in physical therapist practice.] 2006;86:759.

Maher S. Evidence in Practice: Is low-level laser therapy effective in the management of lateral epicondylitis? 2006;86:1161–1167.

Mangione KK. The Bottom Line. [RE: Allometric analysis of physical performance measures in older adults.] 2006;86:1264.

Mangione KK: See Lopopolo RB

Mangione KK: See Palombaro KM

Manno M: See Kennedy CA

Mao DW, Hong Y, Li JX. Characteristics of foot movement in Tai Chi exercise. 2006;86:215–222.

Marchetti GF, Whitney SL. Construction and validation of the 4-item Dynamic Gait Index. 2006;86:1651–1660.

Martin L: See Sidaway B

Massey BF Jr. Note From the APTA President: Appointment of the editor in chief. 2006;86:170.

Massey BF Jr. 2006 APTA Presidential Address: Leaving a legacy. 2006;86:1554–1557.

Masters LM: See Barreca SR

Masters RSW: See Orrell AJ

Mathis R: See Panton LB

McClure PW, Michener LA, Karduna AR. Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome. 2006;86:1075–1090.

McCulloch K: See Blanton S

McKenzie D: See Kennedy CA

McMillan V: See Panton LB

McNeely ML, Armijo Olivo S, Magee DJ. A systematic review of the effectiveness of physical therapy interventions for temporomandibular disorders. 2006;86:710–725.

McShea L: See Jette DU

Medlicott MS, Harris SR. A systematic review of the effectiveness of exercise, manual therapy, electrotherapy, relaxation training, and biofeedback in the management of temporomandibular disorder. 2006;86:955–973.

Michener LA: See McClure PW

Miilunpalo SI: See Asikainen TM

Miller DJ: See Miller NH

Miller NH, Miller DJ, Goldberg JL. Physical therapist examination, evaluation, and intervention for a patient with West Nile virus paralysis. 2006;86:843–856.

Minami S: See Ohata K

Moffet H: See Denis M

Morishita K: See Kasai Y

Morris M: See Blanton S

Morris ME. Locomotor training in people with Parkinson disease. 2006;86: 1426–1435.

Morris ME: See Williams GP

Mowbray R: See Escamilla RF

Mueller MJ, Lott DJ, Hastings MK, et al. Efficacy and mechanism of orthotic devices to unload metatarsal heads in people with diabetes and a history of plantar ulcers. 2006;86:833–842.

N

Nair PM: See Behrman AL

Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. Clinical trial of exercise for shoulder pain in chronic spinal injury. 2006;86:1604–1618.

Neal K: See Greene BL

Ng MFW: See Tong RKY

Nielsen M: See Andersen LL

Niemeijer AS, Schoemaker MM, Smits-Engelsman BCM. Are teaching principles associated with improved motor performance in children with developmental coordination disorder? A pilot study. 2006;86:1221–1230.

Nieuwboer A: See Verheyden G

Nolan KW, Cole LL, Liptak GS. Use of botulinum toxin type A in children with cerebral palsy. 2006;86:573–584.

Nolet L: See Denis M

Nordin E, Rosendahl E, Lundin-Olsson L. Timed "Up & Go" Test: reliability in older people dependent in activities of daily living—focus on cognitive state. 2006;86:646–655.

Nuyens G: See Verheyden G

Nyberg L: See Littbrand H

Nygård CHA: See Asikainen TM

O

Obermann WR: See Vermeulen HM

Ohata K, Tsuboyama T, Ichihashi N, Minami S. Measurement of muscle thickness as quantitative muscle evaluation for adults with severe cerebral palsy. 2006;86:1231–1239.

Ohtake P. The Bottom Line. [RE: Effects of physical training on functional status in patients with prolonged mechanical ventilation.] 2006;86:1272.

Ohtake PJ, Zafron ML, Poranki LG, Fish DR. Evidence in Practice: Does electrical stimulation improve motor recovery in patients with idiopathic facial (Bell) palsy? 2006;86:1558–1564.

Oja P: See Asikainen TM

Oliver WG: See Ward AR

Olson SL: See Lin J

Orrell AJ, Eves FF, Masters RSW. Motor learning of a dynamic balancing task after stroke: implicit implications for stroke rehabilitation. 2006;86:369–380.

Ottenbacher KJ: See Frontera WR

Ouellet D: See Denis M

Ouellette MM: See LeBrasseur NK

Owen JL, Campbell S, Falkner SJ, et al. Evidence in Practice: Is there evidence that proprioception or balance training can prevent anterior cruciate ligament (ACL) injuries in athletes without previous ACL injury? 2006;86: 1436–1440.

P

Palisano RJ. A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. 2006;86:1295–1305.

Palombaro KM, Craik RL, Mangione KK, Tomlinson JD. Determining meaningful changes in gait speed after hip fracture. 2006;86:809–816.

Paoloni M: See Cacchio A

Panton LB, Kingsley JD, Toole T, et al. A comparison of physical functional performance and strength in women with fibromyalgia, age- and weight-matched controls, and older women who are healthy. 2006;86:1479–1488.

Paquet J: See Denis M

Parada CA: See Jorge S

Paris SV. Thirty-Seventh Mary McMillan Lecture: In the best interests of the patient. 2006;86:1541–1553.

Park JH: See Shea CH

Pasanen ME: See Asikainen TM

Paterno MV, Archdeacon MT, Ford KR, et al. Early rehabilitation following surgical fixation of a femoral shaft fracture. 2006;86:558–572.

Patten C. The Bottom Line. [RE: Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people.] 2006;86:1190.

Patterson TS: See Fritz SL

Peckham PH: See Frontera WR

Pilgram TK: See Mueller MJ

Poranki LG: See Ohtake PJ

Poulsen K: See Andersen LL

Prettyman MG: See Blanton S

Pua YH. Allometric analysis of physical performance measures in older adults. 2006;86:1263–1270.

Pumper B: See Forkan R

R

Rabin A. Evidence in Practice: Is there evidence to support the use of eccentric strengthening exercises to decrease pain and increase function in patients with patellar tendinopathy? 2006;86: 450–456.

Ranavolo A: See Cacchio A

Rause CR: See Borello-France DF

Redmond S: See Blanton S

Reynolds J. Note From the Editorial Office: Extraordinary people. 2006;86:6.

Rhine MD: See Vreeman DJ

Rhodenizer T: See Sullivan MJL

Ries JD, Leonard R. Evidence in Practice: Is there evidence to support the use of constraint-induced therapy to improve the quality or quantity of upper extremity function of a 2½-year-old girl with congenital hemiparesis? If so, what are the optimal parameters of this intervention? 2006;86:746–752.

Rinne MB: See Asikainen TM

Ritter-Soronen JM: See Nawoczenski DA

Robertson VJ: See Williams GP

Roddey TS: See Lin J

Romani WA: See Culp LB

Rosendahl E: See Littbrand H

Rosendahl E: See Nordin E

Roth EJ: See Frontera WR

Rozing PM: See Vermeulen HM

Rubinstein EN: See Landgraff NC

Ruddick M: See Bicego D

S

Sahrmann SA: See Lewis CL

Saltzman E: See Ho CL

Saltzman N: See Stephens J

Santilli V: See Cacchio A

Sarpel T: See Ince G

Sayers SP: See LeBrasseur NK

Schenkman M, Deutsch JE, Gill-Body KM. An integrated framework for decision making in neurologic physical therapist practice. 2006;86:1681–1702.

Schoemaker MM: See Niemeijer AS

Scott WB, Lee SCK, Johnston TE, et al. Contractile properties and the force-frequency relationship of the paralyzed human quadriceps femoris muscle. 2006;86:788–799.

Selley A: See Tyson SF

Shea CH, Park JH, Wilde Braden H. Age-related effects in sequential motor learning. 2006;86:478–488.

Sherwood AM: See Lin J

Sheu CF: See Chou CY

Sheu CF: See Hsueh IP

Shields RK. Invited commentary. [RE: Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary.] 2006;86:299–300.

Shumway-Cook A: See Forkan R

Shumway-Cook A: See Silsupadol P

Sidaway B, Anderson J, Danielson G, et al. Effects of long-term gait training using visual cues in an individual with Parkinson disease. 2006;86:186–194.

Siegel MI: See Downey PA

Silsupadol P, Siu KC, Shumway-Cook A, Woollacott MH. Training of balance under single- and dual-task conditions in older adults with balance impairment. 2006;86:269–281.

Sirithienthad P: See Panton LB

Siu KC: See Silsupadol P

Smith G: See Sidaway B

Smith KE: See Mueller MJ

Smits-Engelsman BCM: See Niemeijer AS

Smyth N: See Forkan R

So EFM: See Tong RKY

Somers DL, Clemente FR. Transcutaneous electrical nerve stimulation for the management of neuropathic pain: the effects of frequency and electrode position on prevention of allodynia in a rat model of complex regional pain syndrome type II. 2006;86:698–709.

Sorrell J. Letter to the editor. [RE: Recruitment and retention of students from minority groups.] 2006;86: 756–757.

Soto-quijano DA: See Lin J

Spacca G: See Cacchio A

Speechley MR: See Foley NC

Spielholz NI. Invited commentary. [RE: Periodic direct current does not promote wound closure in an in vitro dynamic model of cell migration.] 2006;86:59–62.

Spielholz NI. Letter to the editor. [RE: Periodic direct current does not promote wound closure in an in vitro dynamic model of cell migration.] 2006;86:762.

Stanish WD: See Sullivan MJL

Stephens J, Davidson J, DeRosa J, Kriz M. Lengthening the hamstring muscles without stretching using "Awareness Through Movement." 2006;86: 1641–1650.

Stevanovic M: See Bruks R

Stewart RL: See Warden SJ

Stoll J: See Finger ME

Storey D: See Bicego D

Storti L: See Berlin JE

Stratford PW, Kennedy DM, Woodhouse LJ. Author response to invited commentary. [RE: Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee.] 2006;86:1498–1500.

Stratford PW, Kennedy DM, Woodhouse LJ. Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. 2006;86:1489–1496.

Stratford PW: See Barreca SR

Stucki G: See Finger ME

Sullivan D: See Lopopolo RB

Sullivan MJL, Adams H, Rhodenizer T, Stanish WD. A psychosocial risk factor–targeted intervention for the prevention of chronic pain and disability following whiplash injury. 2006;86:8–18.

Sun SF, Hsu CW, Hwang CW, et al. Application of combined botulinum toxin type A and modified constraint-induced movement therapy for an individual with chronic upper-extremity spasticity after stroke. 2006;86: 1387–1397.

Sung WH: See Chuang TY

Suni JH: See Asikainen TM

T

Taggard SL: See Vreeman DJ

Takken T: See Verschuren O

Tallis RC: See Tyson SF

Tambeli CH: See Jorge S

Tate DG: See Frontera WR

Taylor R, Jayasinghe UW, Koelmeyer L, et al. Reliability and validity of arm volume measurements for assessment of lymphedema. 2006;86:205–214.

Teasell RW: See Foley NC

Ter Woerds W, De Groot PCE, van Kuppevelt DHJM, Hopman MTE. Passive leg movements and passive cycling do not alter arterial leg blood flow in subjects with spinal cord injury. 2006;86:636–645.

Thompson WR, Binder-Macleod SA. Association of genetic factors with selected measures of physical performance. 2006;86:585–591.

Tomlinson JD: See Palombaro KM

Tong RKY, Ng MFW, Li LSW, So EFM. Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. 2006;86: 1282–1294.

Toole T: See Panton LB

Topp KS, Boyd BS. Structure and biomechanics of peripheral nerves: nerve responses to physical stresses and implications for physical therapist practice. 2006;86:92–109.

Tsai LY: See Jan MH

Tsai MW, Chie WC, Kuo TBJ, et al. Effects of exercise training on heart rate variability after coronary angioplasty. 2006;86:626–635.

Tsai MW: See Chien MY

Tsuboyama T: See Ohata K

Tyson SF, Hanley M, Chillala J, et al. Balance disability after stroke. 2006;86: 30–38.

U

Uchida A: See Kasai Y

Underwood J, Clark PC, Blanton S, et al. Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. 2006;86:1241–1250.

Ung O: See Taylor R

Unnithan VB: See Enright SJ

V

Van Asch P: See Verheyden G

van Dieën JH: See Kingma I

van Hedel HJA. Letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] 2006;86:1444–1445.

van Kuppevelt DHJM: See Ter Woerds W

van Wieringen PCW: See Faber MJ

Velozo CA: See Chiu YP

Verheyden G, Nuyens G, Nieuwboer A, et al. Reliability and validity of trunk assessment for people with multiple sclerosis. 2006;86:66–76.

Vermeulen HM, Rozing PM, Obermann WR, et al. Comparison of high-grade and low-grade mobilization techniques in the management of adhesive capsulitis of the shoulder: randomized controlled trial. 2006;86:355–368.

Verschuren O, Takken T, Ketelaar M, et al. Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. 2006;86: 1107–1117.

Vliet Vlieland TPM: See Vermeulen HM

Vreeman DJ. Letter to the editor. [RE: Development and application of clinical prediction rules to improve decision making in physical therapist practice.] 2006;86:761–762.

Vreeman DJ, Taggard SL, Rhine MD, Worrell TW. Author response to invited commentary. [RE: Evidence for electronic health record systems in physical therapy.] 2006;86:448–449.

Vreeman DJ, Taggard SL, Rhine MD, Worrell TW. Evidence for electronic health record systems in physical therapy. 2006;86:434–446.

Vuori IM: See Asikainen TM

W

Wagenaar RC: See Barak Y

Wagenaar RC: See Ho CL

Wang CH: See Chou SY

Wang CH: See Hsueh IP

Wang CL: See Jan MH

Wang HH, Liao HF, Hsieh CL. Reliability, sensitivity to change, and responsiveness of the Peabody Developmental Motor Scales–Second Edition for children with cerebral palsy. 2006;86:1351–1359.

Wang LY: See Chiang LL

Wang JL: See Sun SF

Wang RY: See Chuang TY

Wang WC: See Hsueh IP

Wang YW: See Lin MR

Ward AR, Oliver WG, Buccella D. Wrist extensor torque production and discomfort associated with low-frequency and burst-modulated kilohertz-frequency currents. 2006;86:1360–1367.

Ward AT: See Owen JL

Ward RS: See Frontera WR

Warden SJ, Fuchs RK, Kessler CK, et al. Ultrasound produced by a conventional therapeutic ultrasound unit accelerates fracture repair. 2006;86:1118–1127.

White RL. Ketoprofen gel as an adjunct to physical therapist management of a child with Sever disease. 2006;86:424–433.

Whitman J. The Bottom Line. [RE: Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome.] 2006;86:1076.

Whitney SL: See Landgraff NC

Whitney SL: See Marchetti GF

Wilde Braden H: See Shea CH

Williams GP, Greenwood KM, Robertson VJ, et al. High-Level Mobility Assessment Tool (HiMAT): interrater reliability, retest reliability, and internal consistency. 2006;86:395–400.

Wilson CM: See Nawoczenski DA

Wirkkala H: See Forkan R

Wister JA: See Borello-France DF

Withnall L: See Enright SJ

Wolf SL: See Blanton S

Wolf SL: See Lin MR

Wolf: See Underwood J

Woodhouse LJ: See Stratford PW

Woollacott MH: See Silsupadol P

Wong C: See Bicego D

Wong CK. Letter to the editor. [RE: Resting position variables at the shoulder: evidence to support a posture-impairment association.] 2006;86:1442–1443.

Worrell TW: See Vreeman DJ

Wu CP: See Chiang LL

Wu HD: See Chiang LL

Wu YT: See Chiang LL

Wu YT: See Chien MY

Wu YT: See Tsai MW

Y

Yang CL: See Sun SF

Yonas H: See Landgraff NC

Z

Zafron ML: See Ohtake PJ

Zampieri C, Di Fabio RP. Progressive supranuclear palsy: disease profile and rehabilitation strategies. 2006;86:870–880.

Zimny NJ. Invited commentary. [RE: Evidence for electronic health record systems in physical therapy.] 2006;86:446–447.

Zyczynski HM: See Borello-France DF

Subject Index

A

Acupuncture

[Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial. Johannson KM, Adolfsson LE, Foldevi MOM. 2005;85:490–501.]

- Letter to the editor. Koel G. 2006;86:143–144.
- Author response. 2006;86:144–145.

Transcutaneous electrical nerve stimulation for the management of neuropathic pain: the effects of frequency and electrode position on prevention of allodynia in a rat model of complex regional pain syndrome type II. Somers DL, Clemente FR. 2006;86:698–709.

American Physical Therapy Association

Awards. 2006;86:1314–1315.

Bylaws. 2006;86:1574–1583.

Code of Ethics. 2006;86:152.

Elected and Appointed Groups. 2006;86:1318–1320.

Goals. 2006;86:1590.

Guide for Conduct of the Physical Therapist Assistant. 2006;86:157–159.

Guide for Professional Conduct. 2006;86:153–156.

Initiatives in Rehabilitation Research. 2006;86:141–142, 301, 592–593, 754–755, 1040–1041, 1306–1307, 1448–1449, 1566–1567.

Membership Qualifications. 2006;86:1584–1585.

Membership Rights. 2006;86:1586.

Membership Statistics. 2006;86:897.

Nominees for APTA National Office. 2006;86:470.

Report of the House of Delegates. 2006;86:1321–1322.

Staff. 2006;86:1048–1049.

Standards of Ethical Conduct for the Physical Therapist Assistant. 2006;86:157.

Standards of Practice for Physical Therapy. 2006;86:148–152.

Standing Rules. 2006;86:1587–1589.

Thirty-Seventh Mary McMillan Lecture: In the best interests of the patient. Paris SV. 2006;86:1541–1553.

2006 APTA Presidential Address: Leaving a legacy. Massey BF Jr. 2006;86:1554–1557.

Arthritis

General

Factors affecting physical activity behavior in urban adults with arthritis who are predominantly African-American and female. Greene BL, Haldeman GF, Kaminski A, et al. 2006;86:510–519.

Osteoarthritis

Effects of repetitive shortwave diathermy for reducing synovitis in patients with knee osteoarthritis: an ultrasonographic study. Jan MH, Chai HM, Wang CL, et al. 2006;86:236–244.

Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. Stratford PW, Kennedy DM, Woodhouse LJ. 2006;86:1489–1496.

- Invited commentary. Beaton D. 2006;86:1496–1498.
- Author response. 2006;86:1498–1500.

Osteoporosis

Bone biology and the clinical implications for osteoporosis. Downey PA, Siegel MI. 2006;86:77–91.

Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: a randomized clinical trial. Denis M, Moffet H, Caron F, et al. 2006;86:174–185.

Rheumatoid Arthritis

Effects of a multimodal exercise program for people with ankylosing spondylitis. Ince G, Sarpel T, Durgun B, Erdogan S. 2006;86:924–935.

- Correction. 2006;86:1452.

B

Balance

Balance disability after stroke. Tyson SF, Hanley M, Chillala J, et al. 2006;86: 30–38.

- Correction. 2006;86:463.

Characteristics of foot movement in Tai Chi exercise. Mao DW, Hong Y, Li JX. 2006;86:215–222.

Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people. Lin MR, Hwang HF, Wang YW, et al. 2006;86:1189–1201.

- The Bottom Line. Patten C. 2006;86:1190.

Construction and validation of the 4-item Dynamic Gait Index. Marchetti GF, Whitney SL. 2006;86:1651–1660.

Developing a short form of the Berg Balance Scale for people with stroke. Chou CY, Chien CW, Hsueh IP, et al. 2006;86:195–204.

Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. Asikainen TM, Suni JH, Pasanen ME, et al. 2006;86:912–923.

- Correction. 2006;86:1311.

Evidence in Practice: Is there evidence that proprioception or balance training can prevent anterior cruciate ligament (ACL) injuries in athletes without previous ACL injury? Owen JL, Campbell S, Falkner SJ, et al. 2006;86:1436–1440.

Exercise adherence following physical therapy intervention in older adults with impaired balance. Forkan R, Pumper B, Smyth N, et al. 2006;86: 401–410.

Gait characteristics of elderly people with a history of falls: a dynamic approach. Barak Y, Wagenaar RC, Holt KG. 2006;86:1501–1510.

Progressive supranuclear palsy: disease profile and rehabilitation strategies. Zampieri C, Di Fabio RP. 2006;86: 870–880.

Training of balance under single- and dual-task conditions in older adults with balance impairment. Silsupadol P, Siu KC, Shumway-Cook A, Woollacott MH. 2006;86:269–281.

Use of item response analysis to investigate measurement properties and clinical validity of data for the Dynamic Gait Index. Chiu YP, Fritz SL, Light KE, Velozo CA. 2006;86:778–787.

Biofeedback

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86: 1369–1377.

C

Cardiac

General

Application of combined botulinum toxin type A and modified constraint-induced movement therapy for an individual with chronic upper-extremity spasticity after stroke. Sun SF, Hsu CW, Hwang CW, et al. 2006;86:1387–1397.

Balance disability after stroke. Tyson SF, Hanley M, Chillala J, et al. 2006;86: 30–38.

- Correction. 2006;86:463.

Combined use of repetitive task practice and an assistive robotic device in a patient with subacute stroke. Frick EM, Alberts JL. 2006;86:1378–1386.

Descriptive characteristics as potential predictors of outcomes following constraint-induced movement therapy for people after stroke. Fritz SL, Light KE, Clifford SN, et al. 2006;86:825–832.

Effects of exercise training on heart rate variability after coronary angioplasty. Tsai MW, Chie WC, Kuo TBJ, et al. 2006;86:626–635.

Evidence in Practice: Does cardiac rehabilitation improve quality of life for a man with coronary artery disease who received percutaneous transluminal coronary angioplasty with insertion of a stent? Chien MY, Tsai MW, Wu YT. 2006;86:1703–1710.

Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. Tong RKY, Ng MFW, Li LSW, So EFM. 2006;86: 1282–1294.

Motor learning of a dynamic balancing task after stroke: implicit implications for stroke rehabilitation. Orrell AJ, Eves FF, Masters RSW. 2006;86:369–380.

Muscle impairments and behavioral factors mediate functional limitations and disability following stroke. LeBrasseur NK, Sayers SP, Ouellette MM, Fielding RA. 2006;86:1342–1350.

Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. Underwood J, Clark PC, Blanton S, et al. 2006;86:1241–1250.

- The Bottom Line. Craik RL. 2006;86:1242.

Passive leg movements and passive cycling do not alter arterial leg blood flow in subjects with spinal cord injury. Ter Woerds W, De Groot PCE, van Kuppevelt DHJM, Hopman MTE. 2006;86:636–645.

A simplified stroke rehabilitation assessment of movement instrument. Hsueh IP, Wang WC, Wang CH, et al. 2006;86:936–943.

Time dependency of walking classification in stroke. Kollen B, Kwakkel G, Lindeman E. 2006;86: 618–625.

Use of the Physical Performance Test to assess preclinical disability in subjects with asymptomatic carotid artery disease. Landgraff NC, Whitney SL, Rubinstein EN, Yonas H. 2006;86: 541–548.

Tests and Measurements

Developing a short form of the Berg Balance Scale for people with stroke. Chou CY, Chien CW, Hsueh IP, et al. 2006;86:195–204.

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86: 1369–1377.

Cerebral Palsy

Drug Therapy

Use of botulinum toxin type A in children with cerebral palsy. Nolan KW, Cole LL, Liptak GS. 2006;86:573–584.

Evaluation

Measurement of muscle thickness as quantitative muscle evaluation for adults with severe cerebral palsy. Ohata K, Tsuboyama T, Ichihashi N, Minami S. 2006;86:1231–1239.

Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. Verschuren O, Takken T, Ketelaar M, et al. 2006;86: 1107–1117.

- The Bottom Line. Kelly MK. 2006;86:1108.

Reliability, sensitivity to change, and responsiveness of the Peabody Developmental Motor Scales–Second Edition for children with cerebral palsy. Wang HH, Liao HF, Hsieh CL. 2006;86:1351–1359.

General

A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. Palisano RJ. 2006;86:1295–1305.

Treatment

Activity, activity, activity: rethinking our physical therapy approach to cerebral palsy. Damiano DL. 2006;86:1534–1540.

Functional electrical stimulation changes dynamic resources in children with spastic cerebral palsy. Ho CL, Holt KG, Saltzman E, Wagenaar RC. 2006;86: 987–1000.

Computers

Evidence for electronic health record systems in physical therapy. Vreeman DJ, Taggard SL, Rhine MD, Worrell TW. 2006;86:434–446.

- Invited commentary. Zimny NJ. 2006;86:446–447.
- Author response. 2006;86:448–449.

D

Decision Making

A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. Palisano RJ. 2006;86:1295–1305.

Decision-making ability of physical therapists: physical therapy intervention or medical referral. Jette DU, Ardleigh K, Chandler K, McShea L. 2006;86:1619–1629.

Development and application of clinical prediction rules to improve decision making in physical therapist practice. Childs JD, Cleland JA. 2006;86:122–131.

- Letter to the editor. Maher C. 2006;86:759.
- Author response. 2006;86:760.
- Letter to the editor. Vreeman DJ. 2006;86:761–762.

Differential diagnosis and treatment in a patient with posterior upper thoracic pain. Fruth SJ. 2006;86:254–268.

Gait symmetry and walking speed analysis following lower-extremity trauma. Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. 2006;86:1630–1640.

Identification of intervention categories for physical therapy, based on the *International Classification of Functioning, Disability and Health*: a Delphi exercise. Finger ME, Cieza A, Stoll J, et al. 2006;86:1203–1220.

- The Bottom Line. Irrgang J. 2006;86:1204.

An integrated framework for decision making in neurologic physical therapist practice. Schenkman M, Deutsch JE, Gill-Body KM. 2006;86:1681–1702.

Structure and biomechanics of peripheral nerves: nerve responses to physical stresses and implications for physical therapist practice. Topp KS, Boyd BS. 2006;86:92–109.

Diabetes

Efficacy and mechanism of orthotic devices to unload metatarsal heads in people with diabetes and a history of plantar ulcers. Mueller MJ, Lott DJ, Hastings MK, et al. 2006;86:833–842.

Diagnosis

Development and application of clinical prediction rules to improve decision making in physical therapist practice. Childs JD, Cleland JA. 2006;86:122–131.

- Letter to the editor. Maher C. 2006;86:759.
- Author response. 2006;86:760.
- Letter to the editor. Vreeman DJ. 2006;86:761–762.

Differential diagnosis and treatment in a patient with posterior upper thoracic pain. Fruth SJ. 2006;86:254–268.

Structure and biomechanics of peripheral nerves: nerve responses to physical stresses and implications for physical therapist practice. Topp KS, Boyd BS. 2006;86:92–109.

E

Editor's Notes

Editor's note: Early crops. Craik RL. 2006;86:1186.

Editor's note: Interpreting systematic reviews: sometimes, more is better. Craik RL. 2006;86:910–911.

Editor's note: Opening the garden gate. Craik RL. 2006;86:1062–1063.

Editor's note: Physical therapist practice, like science, is a "self-correcting process." Craik RL. 2006;86:334–335.

Editor's postscript: Florence P Kendall, PT, FAPTA. Craik RL. 2006;86:336.

Guest editorial: III STEP: a basic scientist's perspective. Kleim JA. 2006;86:614–617.

Note From the APTA President: Appointment of the editor in chief. Massey BF Jr. 2006;86:170.

Note From the Editorial Office: Extraordinary people. Reynolds J. 2006;86:6.

Education: Faculty Members

A faculty's experience in changing instructional methods in a professional physical therapist education program. Foord-May L. 2006;86:223–235.

Education: Physical Therapist

Continuing Education

Impact of continuing education interventions on clinical outcomes of patients with neck pain who received physical therapy. Brennan GP, Fritz JM, Hunter SJ. 2006;86:1251–1262.

- The Bottom Line. Johnson E. 2006;86:1252.

Education: Physical Therapist Students

Recruitment and retention of students from minority groups. Haskins AR, Kirk-Sanchez N. 2006;86:19–29.

- Letter to the editor. Sorrell J. 2006;86:756–757.
- Author response. 2006;86:757–759.

Education: Teaching Methods

A faculty's experience in changing instructional methods in a professional physical therapist education program. Foord-May L. 2006;86:223–235.

Electromyography

Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. Escamilla RF, Babb E, DeWitt R, et al. 2006;86:656–671.

Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. Andersen LL, Magnusson SP, Nielsen M, et al. 2006;86:683–697.

Electrotherapy

Electrical Stimulation

Contractile properties and the force-frequency relationship of the paralyzed human quadriceps femoris muscle. Scott WB, Lee SCK, Johnston TE, et al. 2006;86:788–799.

Evidence in Practice: Does electrical stimulation improve motor recovery in patients with idiopathic facial (Bell) palsy? Ohtake PJ, Zafron ML, Poranki LG, Fish DR. 2006;86:1558–1564.

Functional electrical stimulation changes dynamic resources in children with spastic cerebral palsy. Ho CL, Holt KG, Saltzman E, Wagenaar RC. 2006;86: 987–1000.

Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. Tong RKY, Ng MFW, Li LSW, So EFM. 2006;86: 1282–1294.

Low-frequency fatigue. Keeton RB, Binder-Macleod SA. 2006;86:1146–1150.

Periodic direct current does not promote wound closure in an in vitro dynamic model of cell migration. Godbout C, Frenette J. 2006;86:50–59.

- Invited commentary. Spielholz NI. 2006;86:59–62.
- Author response. 2006;86:63–65.
- Letter to the editor. Spielholz NI. 2006;86:762.

Transcutaneous electrical nerve stimulation for the management of neuropathic pain: the effects of frequency and electrode position on prevention of allodynia in a rat model of complex regional pain syndrome type II. Somers DL, Clemente FR. 2006;86:698–709.

Wrist extensor torque production and discomfort associated with low-frequency and burst-modulated kilohertz-frequency currents. Ward AR, Oliver WG, Buccella D. 2006;86: 1360–1367.

Iontophoresis

Interferential therapy produces antinociception during application in various models of inflammatory pain. Jorge S, Parada CA, Ferreira SH, Tambeli CH. 2006;86:800–808.

Ketoprofen gel as an adjunct to physical therapist management of a child with Sever disease. White RL. 2006;86: 424–433.

Energy Expenditure

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Equipment

General

Combined use of repetitive task practice and an assistive robotic device in a patient with subacute stroke. Frick EM, Alberts JL. 2006;86:1378–1386.

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86: 1369–1377.

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Using activity monitors to measure physical activity in free-living conditions. Berlin JE, Storti KL, Brach JS. 2006;86: 1137–1145.

Ethics

Lessons learned in participant recruitment and retention: the EXCITE trial. Blanton S, Morris DM, Prettyman MG, et al. 2006;86:1520–1533.

Reporting ethical protections in physical therapy research. Henley LD, Frank DM. 2006;86:499–509.

Evidence-Based Practice

A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. Palisano RJ. 2006;86:1295–1305.

Editor's note: Physical therapist practice, like science, is a "self-correcting process." Craik RL. 2006;86:334–335.

Estimates of quality and reliability with the Physiotherapy Evidence-Based Database Scale to assess the methodology of randomized controlled trials of pharmacological and nonpharmacological interventions. Foley NC, Bhogal SK, Teasell RW, et al. 2006;86:817–824.

Evidence in Practice: Does cardiac rehabilitation improve quality of life for a man with coronary artery disease who received percutaneous transluminal coronary angioplasty with insertion of a stent? Chien MY, Tsai MW, Wu YT. 2006;86:1703–1710.

Evidence in Practice: Does electrical stimulation improve motor recovery in patients with idiopathic facial (Bell) palsy? Ohtake PJ, Zafron ML, Poranki LG, Fish DR. 2006;86:1558–1564.

Evidence in Practice: Is low-level laser therapy effective in the management of lateral epicondylitis? Maher S. 2006;86: 1161–1167.

Evidence in Practice: Is there evidence that phonophoresis is more effective than ultrasound in treating pain associated with lateral epicondylitis? Hoppenrath T, Ciccone CD. 2006;86:136–140.

Evidence in Practice: Is there evidence that proprioception or balance training can prevent anterior cruciate ligament (ACL) injuries in athletes without previous ACL injury? Owen JL, Campbell S, Falkner SJ, et al. 2006;86:1436–1440.

Evidence in Practice: Is there evidence to support the use of constraint-induced therapy to improve the quality or quantity of upper extremity function of a 2½-year-old girl with congenital hemiparesis? If so, what are the optimal parameters of this intervention? Ries JD, Leonard R. 2006;86:746–752.

Evidence in Practice: Is there evidence to support the use of eccentric strengthening exercises to decrease pain and increase function in patients with patellar tendinopathy? Rabin A. 2006;86:450–456.

Exercise

General

Clinical trial of exercise for shoulder pain in chronic spinal injury. Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. 2006;86:1604–1618.

Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people. Lin MR, Hwang HF, Wang YW, et al. 2006;86: 1189–1201.

- The Bottom Line. Patten C. 2006;86:1190.

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86:1369–1377.

Effect of therapeutic exercise on gait speed in community-dwelling elderly people: a meta-analysis. Lopopolo RB, Greco M, Sullivan D, et al. 2006;86: 520–540.

[Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial. Johannson KM, Adolfsson LE, Foldevi MOM. 2005;85:490–501.]

- Letter to the editor. Koel G. 2006;86: 143–144.
- Author response. 2006;86:144–145.

Effects of a multimodal exercise program for people with ankylosing spondylitis. Ince G, Sarpel T, Durgun B, Erdogan S. 2006;86:924–935.

• Correction. 2006;86:1452.

Effects of exercise training on heart rate variability after coronary angioplasty. Tsai MW, Chie WC, Kuo TBJ, et al. 2006;86:626–635.

Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. Escamilla RF, Babb E, DeWitt R, et al. 2006;86:656–671.

Exercise adherence following physical therapy intervention in older adults with impaired balance. Forkan R, Pumper B, Smyth N, et al. 2006;86:401–410.

Exercise for women with or at risk for breast cancer–related lymphedema. Bicego D, Brown K, Ruddick M, et al. 2006;86:1398–1405.

Factors affecting physical activity behavior in urban adults with arthritis who are predominantly African-American and female. Greene BL, Haldeman GF, Kaminski A, et al. 2006;86:510–519.

Functional restoration for a chronic lumbar disk extrusion with associated radiculopathy. Hahne AJ, Ford JJ. 2006;86:1668–1680.

A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. Littbrand H, Rosendahl E, Lindelöf N, et al. 2006;86:489–498.

Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. Andersen LL, Magnusson SP, Nielsen M, et al. 2006;86:683–697.

Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. Verschuren O, Takken T, Ketelaar M, et al. 2006;86:1107–1117.

• The Bottom Line. Kelly MK. 2006;86:1108.

A systematic review of the effectiveness of physical therapy interventions for temporomandibular disorders. McNeely ML, Armijo Olivo S, Magee DJ. 2006;86:710–725.

Range of Motion

Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome. McClure PW, Michener LA, Karduna AR. 2006;86:1075–1090.

• The Bottom Line. Whitman J. 2006;86:1076.

Strengthening

Bone biology and the clinical implications for osteoporosis. Downey PA, Siegel MI. 2006;86:77–91.

Effect of pelvic-floor muscle exercise position on continence and quality-of-life outcomes in women with stress urinary incontinence. Borello-France DF, Zyczynski HM, Downey PA, et al. 2006;86:974–986.

Evidence in Practice: Is there evidence to support the use of eccentric strengthening exercises to decrease pain and increase function in patients with patellar tendinopathy? Rabin A. 2006;86:450–456.

F

Fatigue

Low-frequency fatigue. Keeton RB, Binder-Macleod SA. 2006;86:1146–1150.

Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. Underwood J, Clark PC, Blanton S, et al. 2006;86:1241–1250.

• The Bottom Line. Craik RL. 2006;86:1242.

Foundation for Physical Therapy

Scholarships, Fellowships, and Grants. 2006;86:161–162, 324–325, 466–467, 600–601, 768–769, 899–900, 1046–1047, 1174–1175, 1324–1325, 1454–1455, 1592–1593, 1724–1725.

Functional Training and Activities

A comparison of physical functional performance and strength in women with fibromyalgia, age- and weight-matched controls, and older women who are healthy. Panton LB, Kingsley JD, Toole T, et al. 2006;86:1479–1488.

Effects of physical training on functional status in patients with prolonged mechanical ventilation. Chiang LL, Wang LY, Wu CP, et al. 2006;86:1271–1281.

• The Bottom Line. Ohtake P. 2006;86:1272.

Evidence in Practice: Is there evidence to support the use of eccentric strengthening exercises to decrease pain and increase function in patients with patellar tendinopathy? Rabin A. 2006;86:450–456.

Factors affecting physical activity behavior in urban adults with arthritis who are predominantly African-American and female. Greene BL, Haldeman GF, Kaminski A, et al. 2006;86:510–519.

A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. Littbrand H, Rosendahl E, Lindelöf N, et al. 2006;86:489–498.

Letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] van Hedel HJA. 2006;86:1444–1445.

• Editorial Board response. Behrman AL. 2006;86:1445–1447.

Shoulder dysfunction assessment: self-report and impaired scapular movements. Lin J, Hanten WP, Olson SL, et al. 2006;86:1065–1074.

Timed "Up & Go" Test: reliability in older people dependent in activities of daily living—focus on cognitive state. Nordin E, Rosendahl E, Lundin-Olsson L. 2006;86:646–655.

Use of the Physical Performance Test to assess preclinical disability in subjects with asymptomatic carotid artery disease. Landgraff NC, Whitney SL, Rubinstein EN, Yonas H. 2006;86:541–548.

Using activity monitors to measure physical activity in free-living conditions. Berlin JE, Storti KL, Brach JS. 2006;86:1137–1145.

G

Geriatrics

Allometric analysis of physical performance measures in older adults. Pua YH. 2006;86:1263–1270.

• The Bottom Line. Mangione KK. 2006;86:1264.

Clinimetric properties of the Performance-Oriented Mobility Assessment. Faber MJ, Bosscher RJ, van Wieringen PCW. 2006;86:944–954.

Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people. Lin MR, Hwang HF, Wang YW, et al. 2006;86: 1189–1201.

- The Bottom Line. Patten C. 2006;86:1190.

Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. Asikainen TM, Suni JH, Pasanen ME, et al. 2006;86:912–923.

- Correction. 2006;86:1311.

Effect of therapeutic exercise on gait speed in community-dwelling elderly people: a meta-analysis. Lopopolo RB, Greco M, Sullivan D, et al. 2006;86: 520–540.

Exercise adherence following physical therapy intervention in older adults with impaired balance. Forkan R, Pumper B, Smyth N, et al. 2006;86: 401–410.

Gait characteristics of elderly people with a history of falls: a dynamic approach. Barak Y, Wagenaar RC, Holt KG. 2006;86:1501–1510.

A high-intensity functional weight-bearing exercise program for older people dependent in activities of daily living and living in residential care facilities: evaluation of the applicability with focus on cognitive function. Littbrand H, Rosendahl E, Lindelöf N, et al. 2006;86:489–498.

Timed "Up & Go" Test: reliability in older people dependent in activities of daily living—focus on cognitive state. Nordin E, Rosendahl E, Lundin-Olsson L. 2006;86:646–655.

Use of the Physical Performance Test to assess preclinical disability in subjects with asymptomatic carotid artery disease. Landgraff NC, Whitney SL, Rubinstein EN, Yonas H. 2006;86: 541–548.

H

Head Injury

High-Level Mobility Assessment Tool (HiMAT): interrater reliability, retest reliability, and internal consistency. Williams GP, Greenwood KM, Robertson VJ, et al. 2006;86:395–400.

Health Care

Impact of continuing education interventions on clinical outcomes of patients with neck pain who received physical therapy. Brennan GP, Fritz JM, Hunter SJ. 2006;86:1251–1262.

- The Bottom Line. Johnson E. 2006;86:1252.

Heat

Diathermy

Effects of repetitive shortwave diathermy for reducing synovitis in patients with knee osteoarthritis: an ultrasonographic study. Jan MH, Chai HM, Wang CL, et al. 2006;86:236–244.

Hemiplegia

General

Descriptive characteristics as potential predictors of outcomes following constraint-induced movement therapy for people after stroke. Fritz SL, Light KE, Clifford SN, et al. 2006;86:825–832.

I

Interprofessional Relations

Prologue to "Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary." Frontera WR, Ward RS. 2006;86:282–284.

Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary. Frontera WR, Fuhrer MJ, Jette AM, et al. 2006;86:285–298.

- Invited commentary. Shields RK. 2006;86:299–300.

K

Kinesiology/Biomechanics

Gait Analysis

Community-based tai chi and its effect on injurious falls, balance, gait, and fear of falling in older people. Lin MR, Hwang HF, Wang YW, et al. 2006;86: 1189–1201.

- The Bottom Line. Patten C. 2006;86:1190.

Construction and validation of the 4-item Dynamic Gait Index. Marchetti GF, Whitney SL. 2006;86:1651–1660.

Determining meaningful changes in gait speed after hip fracture. Palombaro KM, Craik RL, Mangione KK, Tomlinson JD. 2006;86:809–816.

Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. Asikainen TM, Suni JH, Pasanen ME, et al. 2006;86:912–923.

- Correction. 2006;86:1311.

Effect of therapeutic exercise on gait speed in community-dwelling elderly people: a meta-analysis. Lopopolo RB, Greco M, Sullivan D, et al. 2006;86: 520–540.

Effects of long-term gait training using visual cues in an individual with Parkinson disease. Sidaway B, Anderson J, Danielson G, et al. 2006;86:186–194.

Gait symmetry and walking speed analysis following lower-extremity trauma. Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. 2006;86:1630–1640.

Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. Tong RKY, Ng MFW, Li LSW, So EFM. 2006;86: 1282–1294.

High-Level Mobility Assessment Tool (HiMAT): interrater reliability, retest reliability, and internal consistency. Williams GP, Greenwood KM, Robertson VJ, et al. 2006;86:395–400.

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Time dependency of walking classification in stroke. Kollen B, Kwakkel G, Lindeman E. 2006;86: 618–625.

Use of item response analysis to investigate measurement properties and clinical validity of data for the Dynamic Gait Index. Chiu YP, Fritz SL, Light KE, Velozo CA. 2006;86:778–787.

General

Can low back loading during lifting be reduced by placing one leg beside the object to be lifted? Kingma I, Faber GS, Bakker AJM, van Dieën JH. 2006;86: 1091–1105.

- The Bottom Line. Johnson E. 2006;86:1092.

Lower Extremity

Efficacy and mechanism of orthotic devices to unload metatarsal heads in people with diabetes and a history of plantar ulcers. Mueller MJ, Lott DJ, Hastings MK, et al. 2006;86:833–842.

Upper Extremity

Resting position variables at the shoulder: evidence to support a posture-impairment association. Borstad JD. 2006;86:549–557.

- Letter to the editor. Wong CK. 2006;86:1442–1443.
- Author response. 2006;86:1443–1444.

Shoulder dysfunction assessment: self-report and impaired scapular movements. Lin J, Hanten WP, Olson SL, et al. 2006;86:1065–1074.

Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome. McClure PW, Michener LA, Karduna AR. 2006;86:1075–1090.

- The Bottom Line. Whitman J. 2006;86:1076.

L

Locomotion

Functional electrical stimulation changes dynamic resources in children with spastic cerebral palsy. Ho CL, Holt KG, Saltzman E, Wagenaar RC. 2006;86:987–1000.

Locomotor training in people with Parkinson disease. Morris ME. 2006;86:1426–1435.

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Neuroplasticity after spinal cord injury and training: an emerging paradigm shift in rehabilitation and walking recovery. Behrman AL, Bowden MG, Nair PM. 2006;86:1406–1425.

Lower Extremity

Ankle and Foot

Characteristics of foot movement in Tai Chi exercise. Mao DW, Hong Y, Li JX. 2006;86:215–222.

Ketoprofen gel as an adjunct to physical therapist management of a child with Sever disease. White RL. 2006;86:424–433.

General

Early rehabilitation following surgical fixation of a femoral shaft fracture. Paterno MV, Archdeacon MT, Ford KR, et al. 2006;86:558–572.

Gait symmetry and walking speed analysis following lower-extremity trauma. Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. 2006;86:1630–1640.

Twice-weekly complete decongestive physical therapy in the management of secondary lymphedema of the lower extremities. Holtgrefe KM. 2006;86:1128–1136.

Hip

Acetabular labral tears. Lewis CL, Sahrmann SA. 2006;86:110–121.

Determining meaningful changes in gait speed after hip fracture. Palombaro KM, Craik RL, Mangione KK, Tomlinson JD. 2006;86:809–816.

Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. Stratford PW, Kennedy DM, Woodhouse LJ. 2006;86:1489–1496.

- Invited commentary. Beaton D. 2006;86:1496–1498.
- Author response. 2006;86:1498–1500.

Knee

Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: a randomized clinical trial. Denis M, Moffet H, Caron F, et al. 2006;86:174–185.

Effects of repetitive shortwave diathermy for reducing synovitis in patients with knee osteoarthritis: an ultrasonographic study. Jan MH, Chai HM, Wang CL, et al. 2006;86:236–244.

Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. Stratford PW, Kennedy DM, Woodhouse LJ. 2006;86:1489–1496.

- Invited commentary. Beaton D. 2006;86:1496–1498.
- Author response. 2006;86:1498–1500.

M

Manual Therapy

Differential diagnosis and treatment in a patient with posterior upper thoracic pain. Fruth SJ. 2006;86:254–268.

A systematic review of the effectiveness of physical therapy interventions for temporomandibular disorders. McNeely ML, Armijo Olivo S, Magee DJ. 2006;86:710–725.

Massage

Physiological Effects

Managing a patient's constipation with physical therapy. Harrington KL, Haskvitz EM. 2006;86:1511–1519.

Medical Conditions

Ketoprofen gel as an adjunct to physical therapist management of a child with Sever disease. White RL. 2006;86:424–433.

Physical therapist examination, evaluation, and intervention for a patient with West Nile virus paralysis. Miller NH, Miller DJ, Goldberg JL. 2006;86:843–856.

Motor Activity

Are teaching principles associated with improved motor performance in children with developmental coordination disorder? A pilot study. Niemeijer AS, Schoemaker MM, Smits-Engelsman BCM. 2006;86:1221–1230.

- The Bottom Line. Kelly MK. 2006;86:1222.

A simplified stroke rehabilitation assessment of movement instrument. Hsueh IP, Wang WC, Wang CH, et al. 2006;86:936–943.

Synergies in health and disease: relations to adaptive changes in motor coordination. Latash ML, Anson JG. 2006;86:1151–1160.

Motor Skills

Age-related effects in sequential motor learning. Shea CH, Park JH, Wilde Braden H. 2006;86:478–488.

Clinical trial of exercise for shoulder pain in chronic spinal injury. Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. 2006;86:1604–1618.

Motor learning of a dynamic balancing task after stroke: implicit implications for stroke rehabilitation. Orrell AJ, Eves FF, Masters RSW. 2006;86:369–380.

Movement Science

Age-related effects in sequential motor learning. Shea CH, Park JH, Wilde Braden H. 2006;86:478–488.

Application of combined botulinum toxin type A and modified constraint-induced movement therapy for an individual with chronic upper-extremity spasticity after stroke. Sun SF, Hsu CW, Hwang CW, et al. 2006;86:1387–1397.

Are models of disability useful in real cases? Pediatric case examples realized in research, clinical practice, and education. Campbell SK. 2006;86: 881–887.

Characteristics of foot movement in Tai Chi exercise. Mao DW, Hong Y, Li JX. 2006;86:215–222.

A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. Palisano RJ. 2006;86:1295–1305.

Comparison of high-grade and low-grade mobilization techniques in the management of adhesive capsulitis of the shoulder: randomized controlled trial. Vermeulen HM, Rozing PM, Obermann WR, et al. 2006;86:355–368.

Descriptive characteristics as potential predictors of outcomes following constraint-induced movement therapy for people after stroke. Fritz SL, Light KE, Clifford SN, et al. 2006;86:825–832.

Guest editorial: III STEP: a basic scientist's perspective. Kleim JA. 2006;86:614–617.

High-Level Mobility Assessment Tool (HiMAT): interrater reliability, retest reliability, and internal consistency. Williams GP, Greenwood KM, Robertson VJ, et al. 2006;86:395–400.

Interpreting change scores of tests and measures used in physical therapy. Haley SM, Fragala-Pinkham MA. 2006;86:735–743.

Lengthening the hamstring muscles without stretching using "Awareness Through Movement." Stephens J, Davidson J, DeRosa J, Kriz M. 2006;86: 1641–1650.

Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. Underwood J, Clark PC, Blanton S, et al. 2006;86:1241–1250.

- The Bottom Line. Craik RL. 2006;86:1242.

A simplified stroke rehabilitation assessment of movement instrument. Hsueh IP, Wang WC, Wang CH, et al. 2006;86:936–943.

Synergies in health and disease: relations to adaptive changes in motor coordination. Latash ML, Anson JG. 2006;86:1151–1160.

Toward a common language for function, disability, and health. Jette AM. 2006;86:726–734.

Muscle

Lengthening the hamstring muscles without stretching using "Awareness Through Movement." Stephens J, Davidson J, DeRosa J, Kriz M. 2006;86: 1641–1650.

Muscle impairments and behavioral factors mediate functional limitations and disability following stroke. LeBrasseur NK, Sayers SP, Ouellette MM, Fielding RA. 2006;86:1342–1350.

Muscle Performance

General

Effect of high-intensity inspiratory muscle training on lung volumes, diaphragm thickness, and exercise capacity in subjects who are healthy. Enright SJ, Unnithan VB, Heward C, et al. 2006;86:345–354.

Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. Kofotolis N, Kellis E. 2006;86:1001–1012.

Low-frequency fatigue. Keeton RB, Binder-Macleod SA. 2006;86:1146–1150.

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Lower Extremity

Contractile properties and the force-frequency relationship of the paralyzed human quadriceps femoris muscle. Scott WB, Lee SCK, Johnston TE, et al. 2006;86:788–799.

Effect of brisk walking in 1 or 2 daily bouts and moderate resistance training on lower-extremity muscle strength, balance, and walking performance in women who recently went through menopause: a randomized, controlled trial. Asikainen TM, Suni JH, Pasanen ME, et al. 2006;86:912–923.

- Correction. 2006;86:1311.

Measurement

Measurement of muscle thickness as quantitative muscle evaluation for adults with severe cerebral palsy. Ohata K, Tsuboyama T, Ichihashi N, Minami S. 2006;86:1231–1239.

Trunk

Effect of pelvic-floor muscle exercise position on continence and quality-of-life outcomes in women with stress urinary incontinence. Borello-France DF, Zyczynski HM, Downey PA, et al. 2006;86:974–986.

Upper Extremity

Wrist extensor torque production and discomfort associated with low-frequency and burst-modulated kilohertz-frequency currents. Ward AR, Oliver WG, Buccella D. 2006;86: 1360–1367.

N

Neck and Trunk

Back

Can low back loading during lifting be reduced by placing one leg beside the object to be lifted? Kingma I, Faber GS, Bakker AJM, van Dieën JH. 2006;86: 1091–1105.

- The Bottom Line. Johnson E. 2006;86:1092.

Effectiveness of physical therapy for the management of chronic spine disorders: a propensity score approach. Freburger JK, Carey TS, Holmes GM. 2006;86:381–394.

Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. Kofotolis N, Kellis E. 2006;86:1001–1012.

Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. Escamilla RF, Babb E, DeWitt R, et al. 2006;86: 656–671.

Functional restoration for a chronic lumbar disk extrusion with associated radiculopathy. Hahne AJ, Ford JJ. 2006; 86:1668–1680.

A new evaluation method for lumbar spinal instability: passive lumbar extension test. Kasai Y, Morishita K, Kawakita E, et al. 2006;86:1661–1667.

Reliability and validity of trunk assessment for people with multiple sclerosis. Verheyden G, Nuyens G, Nieuwboer A, et al. 2006;86:66–76.

General

Differential diagnosis and treatment in a patient with posterior upper thoracic pain. Fruth SJ. 2006;86:254–268.

A psychosocial risk factor–targeted intervention for the prevention of chronic pain and disability following whiplash injury. Sullivan MJL, Adams H, Rhodenizer T, Stanish WD. 2006;86: 8–18.

Neck

Impact of continuing education interventions on clinical outcomes of patients with neck pain who received physical therapy. Brennan GP, Fritz JM, Hunter SJ. 2006;86:1251–1262.

- The Bottom Line. Johnson E. 2006;86:1252.

Neuromuscular Disorders

General

Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. Kofotolis N, Kellis E. 2006;86:1001–1012.

Progressive supranuclear palsy: disease profile and rehabilitation strategies. Zampieri C, Di Fabio RP. 2006;86: 870–880.

Multiple Sclerosis

Reliability and validity of trunk assessment for people with multiple sclerosis. Verheyden G, Nuyens G, Nieuwboer A, et al. 2006;86:66–76.

Parkinson Disease

Effects of long-term gait training using visual cues in an individual with Parkinson disease. Sidaway B, Anderson J, Danielson G, et al. 2006;86:186–194.

Locomotor training in people with Parkinson disease. Morris ME. 2006;86:1426–1435.

Neurophysiology/Neuroanatomy

An integrated framework for decision making in neurologic physical therapist practice. Schenkman M, Deutsch JE, Gill-Body KM. 2006;86:1681–1702.

O

Oncology

Exercise for women with or at risk for breast cancer–related lymphedema. Bicego D, Brown K, Ruddick M, et al. 2006;86:1398–1405.

Reliability and validity of arm volume measurements for assessment of lymphedema. Taylor R, Jayasinghe UW, Koelmeyer L, et al. 2006;86:205–214.

Orthopedics

Fractures

Determining meaningful changes in gait speed after hip fracture. Palombaro KM, Craik RL, Mangione KK, Tomlinson JD. 2006;86:809–816.

Early rehabilitation following surgical fixation of a femoral shaft fracture. Paterno MV, Archdeacon MT, Ford KR, et al. 2006;86:558–572.

Ultrasound produced by a conventional therapeutic ultrasound unit accelerates fracture repair. Warden SJ, Fuchs RK, Kessler CK, et al. 2006;86:1118–1127.

Orthoses/Splints/Casts

Lower Extremity

Efficacy and mechanism of orthotic devices to unload metatarsal heads in people with diabetes and a history of plantar ulcers. Mueller MJ, Lott DJ, Hastings MK, et al. 2006;86:833–842.

P

Pain

Acetabular labral tears. Lewis CL, Sahrmann SA. 2006;86:110–121.

Clinical trial of exercise for shoulder pain in chronic spinal injury. Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. 2006;86:1604–1618.

Differential diagnosis and treatment in a patient with posterior upper thoracic pain. Fruth SJ. 2006;86:254–268.

Effectiveness of physical therapy for the management of chronic spine disorders: a propensity score approach. Freburger JK, Carey TS, Holmes GM. 2006;86:381–394.

Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. Kofotolis N, Kellis E. 2006;86:1001–1012.

Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. Escamilla RF, Babb E, DeWitt R, et al. 2006;86: 656–671.

Evidence in Practice: Is there evidence to support the use of eccentric strengthening exercises to decrease pain and increase function in patients with patellar tendinopathy? Rabin A. 2006;86:450–456.

Functional restoration for a chronic lumbar disk extrusion with associated radiculopathy. Hahne AJ, Ford JJ. 2006; 86:1668–1680.

Interferential therapy produces antinociception during application in various models of inflammatory pain. Jorge S, Parada CA, Ferreira SH, Tambeli CH. 2006;86:800–808.

Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. Underwood J, Clark PC, Blanton S, et al. 2006;86:1241–1250.

- The Bottom Line. Craik RL. 2006;86:1242.

Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. Stratford PW, Kennedy DM, Woodhouse LJ. 2006;86: 1489–1496.

- Invited commentary. Beaton D. 2006;86:1496–1498.
- Author response. 2006;86:1498–1500.

Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment. Kennedy CA, Manno M, Hogg-Johnson S, et al. 2006;86: 1013–1032.

- Invited commentary. Irrgang JJ. 2006;86:1033–1036.
- Author response. 2006;86:1036–1037.
- Correction. 2006;86:1452.

A psychosocial risk factor–targeted intervention for the prevention of chronic pain and disability following whiplash injury. Sullivan MJL, Adams H, Rhodenizer T, Stanish WD. 2006;86: 8–18.

Transcutaneous electrical nerve stimulation for the management of neuropathic pain: the effects of frequency and electrode position on prevention of allodynia in a rat model of complex regional pain syndrome type II. Somers DL, Clemente FR. 2006;86:698–709.

Pediatrics

Development

Are teaching principles associated with improved motor performance in children with developmental coordination disorder? A pilot study. Niemeijer AS, Schoemaker MM, Smits-Engelsman BCM. 2006;86:1221–1230.

- The Bottom Line. Kelly MK. 2006;86:1222.

Evaluation

Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. Verschuren O, Takken T, Ketelaar M, et al. 2006;86:1107–1117.

- The Bottom Line. Kelly MK. 2006;86:1108.

Reliability, sensitivity to change, and responsiveness of the Peabody Developmental Motor Scales–Second Edition for children with cerebral palsy. Wang HH, Liao HF, Hsieh CL. 2006;86: 1351–1359.

General

Are models of disability useful in real cases? Pediatric case examples realized in research, clinical practice, and education. Campbell SK. 2006;86:881–887.

A collaborative model of service delivery for children with movement disorders: a framework for evidence-based decision making. Palisano RJ. 2006;86:1295–1305.

Treatment

Functional electrical stimulation changes dynamic resources in children with spastic cerebral palsy. Ho CL, Holt KG, Saltzman E, Wagenaar RC. 2006;86:987–1000.

Ketoprofen gel as an adjunct to physical therapist management of a child with Sever disease. White RL. 2006;86: 424–433.

Pharmacology

Application of combined botulinum toxin type A and modified constraint-induced movement therapy for an individual with chronic upper-extremity spasticity after stroke. Sun SF, Hsu CW, Hwang CW, et al. 2006;86:1387–1397.

Estimates of quality and reliability with the Physiotherapy Evidence-Based Database Scale to assess the methodology of randomized controlled trials of pharmacological and nonpharmacological interventions. Foley NC, Bhogal SK, Teasell RW, et al. 2006;86:817–824.

Phototherapy

Laser

Evidence in Practice: Is low-level laser therapy effective in the management of lateral epicondylitis? Maher S. 2006;86: 1161–1167.

Physical Therapy Profession

Professional Issues

Initiatives in Rehabilitation Research. 2006;86:141–142, 301, 592–593, 754–755, 1040–1041, 1306–1307, 1448–1449, 1566–1567.

Interpreting change scores of tests and measures used in physical therapy. Haley SM, Fragala-Pinkham MA. 2006; 86:735–743.

Prologue to "Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary." Frontera WR, Ward RS. 2006;86:282–284.

Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary. Frontera WR, Fuhrer MJ, Jette AM, et al. 2006;86:285–298.

- Invited commentary. Shields RK. 2006;86:299–300.

Toward a common language for function, disability, and health. Jette AM. 2006;86:726–734.

Posture

General

Training of balance under single- and dual-task conditions in older adults with balance impairment. Silsupadol P, Siu KC, Shumway-Cook A, Woollacott MH. 2006;86:269–281.

Tests and Measurements

Resting position variables at the shoulder: evidence to support a posture-impairment association. Borstad JD. 2006;86:549–557.

- Letter to the editor. Wong CK. 2006;86:1442–1443.
- Author response. 2006;86:1443–1444.

Peer-Reviewed Publications

Editor's note: Early crops. Craik RL. 2006;86:1186.

Editor's note: Opening the garden gate. Craik RL. 2006;86:1062–1063.

[A quantitative analysis of research publications in physical therapy journals. Miller PA, McKibbon KA, Haynes RB. 2003;83:123–132.

- Commentary. Jette AM. 2003;83: 131–132.
- Author response. 2003;83:133.
- Letter to the editor. Collins SM. 2005;85:1393–1394.]
- Letter to the editor. Bartlett DJ, Lucy SD. 2006;86:763–764.

Reporting ethical protections in physical therapy research. Henley LD, Frank DM. 2006;86:499–509.

Pulmonary

Breathing Exercises

Effect of high-intensity inspiratory muscle training on lung volumes, diaphragm thickness, and exercise capacity in subjects who are healthy. Enright SJ, Unnithan VB, Heward C, et al. 2006;86:345–354.

General

Effects of physical training on functional status in patients with prolonged mechanical ventilation. Chiang LL, Wang LY, Wu CP, et al. 2006;86:1271–1281.

- The Bottom Line. Ohtake P. 2006;86:1272.

R

Rehabilitation

Activity, activity, activity: rethinking our physical therapy approach to cerebral palsy. Damiano DL. 2006;86:1534–1540.

Are teaching principles associated with improved motor performance in children with developmental coordination disorder? A pilot study. Niemeijer AS, Schoemaker MM, Smits-Engelsman BCM. 2006;86:1221–1230.

- The Bottom Line. Kelly MK. 2006;86:1222.

Association of genetic factors with selected measures of physical performance. Thompson WR, Binder-Macleod SA. 2006;86:585–591.

Combined use of repetitive task practice and an assistive robotic device in a patient with subacute stroke. Frick EM, Alberts JL. 2006;86:1378–1386.

Early rehabilitation following surgical fixation of a femoral shaft fracture. Paterno MV, Archdeacon MT, Ford KR, et al. 2006;86:558–572.

Editor's note: Interpreting systematic reviews: sometimes, more is better. Craik RL. 2006;86:910–911.

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86: 1369–1377.

Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty: a randomized clinical trial. Denis M, Moffet H, Caron F, et al. 2006;86: 174–185.

Effects of two 4-week proprioceptive neuromuscular facilitation programs on muscle endurance, flexibility, and functional performance in women with chronic low back pain. Kofotolis N, Kellis E. 2006;86:1001–1012.

Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. Escamilla RF, Babb E, DeWitt R, et al. 2006;86: 656–671.

Evidence in Practice: Does cardiac rehabilitation improve quality of life for a man with coronary artery disease who received percutaneous transluminal coronary angioplasty with insertion of a stent? Chien MY, Tsai MW, Wu YT. 2006;86:1703–1710.

Functional restoration for a chronic lumbar disk extrusion with associated radiculopathy. Hahne AJ, Ford JJ. 2006;86:1668–1680.

Gait symmetry and walking speed analysis following lower-extremity trauma. Archer KR, Castillo RC, MacKenzie EJ, Bosse MJ; Lower Extremity Assessment Project (LEAP) Study Group. 2006;86:1630–1640.

Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. Tong RKY, Ng MFW, Li LSW, So EFM. 2006;86:1282–1294.

Initiatives in Rehabilitation Research. 2006;86:141–142, 301, 592–593, 754–755, 1040–1041, 1306–1307, 1448–1449, 1566–1567.

Lessons learned in participant recruitment and retention: the EXCITE trial. Blanton S, Morris DM, Prettyman MG, et al. 2006;86:1520–1533.

Letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] van Hedel HJA. 2006;86:1444–1445.

- Editorial Board response. Behrman AL. 2006;86:1445–1447.

Motor learning of a dynamic balancing task after stroke: implicit implications for stroke rehabilitation. Orrell AJ, Eves FF, Masters RSW. 2006;86:369–380.

Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. Andersen LL, Magnusson SP, Nielsen M, et al. 2006;86:683–697.

Neuroplasticity after spinal cord injury and training: an emerging paradigm shift in rehabilitation and walking recovery. Behrman AL, Bowden MG, Nair PM. 2006;86:1406–1425.

Pain, fatigue, and intensity of practice in people with stroke who are receiving constraint-induced movement therapy. Underwood J, Clark PC, Blanton S, et al. 2006;86:1241–1250.

- The Bottom Line. Craik RL. 2006;86:1242.

Progressive supranuclear palsy: disease profile and rehabilitation strategies. Zampieri C, Di Fabio RP. 2006;86:870–880.

Prologue to "Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary." Frontera WR, Ward RS. 2006;86:282–284.

Rehabilitation following repair of a torn latissimus dorsi tendon. Burks R, Burke W, Stevanovic M. 2006;86:411–423.

Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary. Frontera WR, Fuhrer MJ, Jette AM, et al. 2006;86:285–298.

- Invited commentary. Shields RK. 2006;86:299–300.

Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. Verschuren O, Takken T, Ketelaar M, et al. 2006;86:1107–1117.

- The Bottom Line. Kelly MK. 2006;86:1108.

Reliability and validity of trunk assessment for people with multiple sclerosis. Verheyden G, Nuyens G, Nieuwboer A, et al. 2006;86:66–76.

Shoulder dysfunction assessment: self-report and impaired scapular movements. Lin J, Hanten WP, Olson SL, et al. 2006;86:1065–1074.

A simplified stroke rehabilitation assessment of movement instrument. Hsueh IP, Wang WC, Wang CH, et al. 2006;86:936–943.

A systematic review of the effectiveness of exercise, manual therapy, electrotherapy, relaxation training, and biofeedback in the management of temporomandibular disorder. Medlicott MS, Harris SR. 2006;86:955–973.

Training of balance under single- and dual-task conditions in older adults with balance impairment. Silsupadol P, Siu KC, Shumway-Cook A, Woollacott MH. 2006;86:269–281.

Research

Initiatives in Rehabilitation Research. 2006;86:141–142, 301, 592–593, 754–755, 1040–1041, 1306–1307, 1448–1449, 1566–1567.

Lessons learned in participant recruitment and retention: the EXCITE trial. Blanton S, Morris DM, Prettyman MG, et al. 2006;86:1520–1533.

Prologue to "Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary." Frontera WR, Ward RS. 2006;86:282–284.

[A quantitative analysis of research publications in physical therapy journals. Miller PA, McKibbon KA, Haynes RB. 2003;83:123–132.

- Commentary. Jette AM. 2003;83:131–132.
- Author response. 2003;83:133.
- Letter to the editor. Collins SM. 2005;85:1393–1394.]
- Letter to the editor. Bartlett DJ, Lucy SD. 2006;86:763–764.

Rehabilitation Medicine Summit: Building Research Capacity—Executive Summary. Frontera WR, Fuhrer MJ, Jette AM, et al. 2006;86:285–298.

- Invited commentary. Shields RK. 2006;86:299–300.

Reporting ethical protections in physical therapy research. Henley LD, Frank DM. 2006;86:499–509.

Roentgenography

A new evaluation method for lumbar spinal instability: passive lumbar extension test. Kasai Y, Morishita K, Kawakita E, et al. 2006;86:1661–1667.

S

Skin Conditions

Efficacy and mechanism of orthotic devices to unload metatarsal heads in people with diabetes and a history of plantar ulcers. Mueller MJ, Lott DJ, Hastings MK, et al. 2006;86:833–842.

Soft Tissue Syndromes

Evidence in Practice: Is there evidence that proprioception or balance training can prevent anterior cruciate ligament (ACL) injuries in athletes without previous ACL injury? Owen JL, Campbell S, Falkner SJ, et al. 2006;86:1436–1440.

Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment. Kennedy CA, Manno M, Hogg-Johnson S, et al. 2006;86:1013–1032.

- Invited commentary. Irrgang JJ. 2006;86:1033–1036.
- Author response. 2006;86:1036–1037.
- Correction. 2006;86:1452.

Rehabilitation following repair of a torn latissimus dorsi tendon. Burks R, Burke W, Stevanovic M. 2006;86:411–423.

Spinal Cord Injuries

Clinical trial of exercise for shoulder pain in chronic spinal injury. Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. 2006;86:1604–1618.

Contractile properties and the force-frequency relationship of the paralyzed human quadriceps femoris muscle. Scott WB, Lee SCK, Johnston TE, et al. 2006;86:788–799.

Letter to the editor. [Weight-supported treadmill versus over-ground training after spinal cord injury: from a physical therapist's point of view.] van Hedel HJA. 2006;86:1444–1445.

- Editorial Board response. Behrman AL. 2006;86:1445–1447.

Metabolic costs and muscle activity patterns during robotic- and therapist-assisted treadmill walking in individuals with incomplete spinal cord injury. Israel JF, Campbell DD, Kahn JH, Hornby TG. 2006;86:1466–1478.

Neuroplasticity after spinal cord injury and training: an emerging paradigm shift in rehabilitation and walking recovery. Behrman AL, Bowden MG, Nair PM. 2006;86:1406–1425.

Passive leg movements and passive cycling do not alter arterial leg blood flow in subjects with spinal cord injury. Ter Woerds W, De Groot PCE, van Kuppevelt DHJM, Hopman MTE. 2006;86:636–645.

Rating scale, standard gamble, and time trade-off for people with traumatic spinal cord injuries. Lin MR, Hwang HF, Chung KP, et al. 2006;86:337–344.

Sports Physical Therapy

Ultrasound produced by a conventional therapeutic ultrasound unit accelerates fracture repair. Warden SJ, Fuchs RK, Kessler CK, et al. 2006;86:1118–1127.

T

Temporomandibular Joint Dysfunction

Editor's note: Interpreting systematic reviews: sometimes, more is better. Craik RL. 2006;86:910–911.

A systematic review of the effectiveness of exercise, manual therapy, electrotherapy, relaxation training, and biofeedback in the management of temporomandibular disorder. Medlicott MS, Harris SR. 2006;86:955–973.

A systematic review of the effectiveness of physical therapy interventions for temporomandibular disorders. McNeely ML, Armijo Olivo S, Magee DJ. 2006;86:710–725.

Tests and Measurements

Functional

Clinimetric properties of the Performance-Oriented Mobility Assessment. Faber MJ, Bosscher RJ, van Wieringen PCW. 2006;86:944–954.

A comparison of physical functional performance and strength in women with fibromyalgia, age- and weight-matched controls, and older women who are healthy. Panton LB, Kingsley JD, Toole T, et al. 2006;86:1479–1488.

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86:1369–1377.

High-Level Mobility Assessment Tool (HiMAT): interrater reliability, retest reliability, and internal consistency. Williams GP, Greenwood KM, Robertson VJ, et al. 2006;86:395–400.

Rating scale, standard gamble, and time trade-off for people with traumatic spinal cord injuries. Lin MR, Hwang HF, Chung KP, et al. 2006;86:337–344.

Time dependency of walking classification in stroke. Kollen B, Kwakkel G, Lindeman E. 2006;86:618–625.

Use of the Physical Performance Test to assess preclinical disability in subjects with asymptomatic carotid artery disease. Landgraff NC, Whitney SL, Rubinstein EN, Yonas H. 2006;86:541–548.

General

Allometric analysis of physical performance measures in older adults. Pua YH. 2006;86:1263–1270.

- The Bottom Line. Mangione KK. 2006;86:1264.

Association of genetic factors with selected measures of physical performance. Thompson WR, Binder-Macleod SA. 2006;86:585–591.

Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. Barreca SR, Stratford PW, Masters LM, et al. 2006;86:245–253.

Construction and validation of the 4-item Dynamic Gait Index. Marchetti GF, Whitney SL. 2006;86:1651–1660.

Developing a short form of the Berg Balance Scale for people with stroke. Chou CY, Chien CW, Hsueh IP, et al. 2006;86:195–204.

Effects of physical training on functional status in patients with prolonged mechanical ventilation. Chiang LL, Wang LY, Wu CP, et al. 2006;86:1271–1281.

- The Bottom Line. Ohtake P. 2006;86:1272.

Interpreting change scores of tests and measures used in physical therapy. Haley SM, Fragala-Pinkham MA. 2006;86:735–743.

A new evaluation method for lumbar spinal instability: passive lumbar extension test. Kasai Y, Morishita K, Kawakita E, et al. 2006;86:1661–1667.

Reliability and validity of data for 2 newly developed shuttle run tests in children with cerebral palsy. Verschuren O, Takken T, Ketelaar M, et al. 2006;86:1107–1117.

- The Bottom Line. Kelly MK. 2006;86:1108.

Reliability, sensitivity to change, and responsiveness of the Peabody Developmental Motor Scales–Second Edition for children with cerebral palsy. Wang HH, Liao HF, Hsieh CL. 2006;86:1351–1359.

A simplified stroke rehabilitation assessment of movement instrument. Hsueh IP, Wang WC, Wang CH, et al. 2006;86:936–943.

Timed "Up & Go" Test: reliability in older people dependent in activities of daily living—focus on cognitive state. Nordin E, Rosendahl E, Lundin-Olsson L. 2006;86:646–655.

Toward a common language for function, disability, and health. Jette AM. 2006;86:726–734.

Use of item response analysis to investigate measurement properties and clinical validity of data for the Dynamic Gait Index. Chiu YP, Fritz SL, Light KE, Velozo CA. 2006;86:778–787.

Volume

Reliability and validity of arm volume measurements for assessment of lymphedema. Taylor R, Jayasinghe UW, Koelmeyer L, et al. 2006;86:205–214.

U

Ultrasound

Effectiveness of radial shock-wave therapy for calcific tendinitis of the shoulder: single-blind, randomized clinical study. Cacchio A, Paoloni M, Barile A, et al. 2006;86:672–682.

[Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial. Johannson KM, Adolfsson LE, Foldevi MOM. 2005;85:490–501.]

- Letter to the editor. Koel G. 2006;86:143–144.
- Author response. 2006;86:144–145.

Effects of repetitive shortwave diathermy for reducing synovitis in patients with knee osteoarthritis: an ultrasonographic study. Jan MH, Chai HM, Wang CL, et al. 2006;86:236–244.

Effects of ultrasound and diciofenac phonophoresis on inflammatory pain relief: suppression of inducible nitric oxide synthase in arthritic rats. Hsieh YL. 2006;86:39–49.

Evidence in Practice: Is there evidence that phonophoresis is more effective than ultrasound in treating pain associated with lateral epicondylitis? Hoppenrath T, Ciccone CD. 2006;86:136–140.

Measurement of muscle thickness as quantitative muscle evaluation for adults with severe cerebral palsy. Ohata K, Tsuboyama T, Ichihashi N, Minami S. 2006;86:1231–1239.

Ultrasound produced by a conventional therapeutic ultrasound unit accelerates fracture repair. Warden SJ, Fuchs RK, Kessler CK, et al. 2006;86:1118–1127.

Upper Extremity

Elbow

Evidence in Practice: Is low-level laser therapy effective in the management of lateral epicondylitis? Maher S. 2006;86:1161–1167.

General

Application of combined botulinum toxin type A and modified constraint-induced movement therapy for an individual with chronic upper-extremity spasticity after stroke. Sun SF, Hsu CW, Hwang CW, et al. 2006;86:1387–1397.

Combined use of repetitive task practice and an assistive robotic device in a patient with subacute stroke. Frick EM, Alberts JL. 2006;86:1378–1386.

Reliability and validity of arm volume measurements for assessment of lymphedema. Taylor R, Jayasinghe UW, Koelmeyer L, et al. 2006;86:205–214.

Hand and Wrist

Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. Barreca SR, Stratford PW, Masters LM, et al. 2006;86:245–253.

Wrist extensor torque production and discomfort associated with low-frequency and burst-modulated kilohertz-frequency currents. Ward AR, Oliver WG, Buccella D. 2006;86:1360–1367.

Shoulder

Clinical trial of exercise for shoulder pain in chronic spinal injury. Nawoczenski DA, Ritter-Soronen JM, Wilson CM, et al. 2006;86:1604–1618.

Comparison of high-grade and low-grade mobilization techniques in the management of adhesive capsulitis of the shoulder: randomized controlled trial. Vermeulen HM, Rozing PM, Obermann WR, et al. 2006;86:355–368.

Effectiveness of radial shock-wave therapy for calcific tendinitis of the shoulder: single-blind, randomized clinical study. Cacchio A, Paoloni M, Barile A, et al. 2006;86:672–682.

[Effects of acupuncture versus ultrasound in patients with impingement syndrome: randomized clinical trial. Johannson KM, Adolfsson LE, Foldevi MOM. 2005;85:490–501.]

- Letter to the editor. Koel G. 2006;86:143–144.
- Author response. 2006;86:144–145.

Physical therapist examination, evaluation, and intervention following the surgical reconstruction of a grade III acromioclavicular joint separation. Culp LB, Romani WA. 2006;86:857–869.

Prognosis in soft tissue disorders of the shoulder: predicting both change in disability and level of disability after treatment. Kennedy CA, Manno M, Hogg-Johnson S, et al. 2006;86:1013–1032.

- Invited commentary. Irrgang JJ. 2006;86:1033–1036.
- Author response. 2006;86:1036–1037.
- Correction. 2006;86:1452.

Rehabilitation following repair of a torn latissimus dorsi tendon. Burks R, Burke W, Stevanovic M. 2006;86:411–423.

Resting position variables at the shoulder: evidence to support a posture-impairment association. Borstad JD. 2006;86:549–557.

- Letter to the editor. Wong CK. 2006;86:1442–1443.
- Author response. 2006;86:1443–1444.

Shoulder dysfunction assessment: self-report and impaired scapular movements. Lin J, Hanten WP, Olson SL, et al. 2006;86:1065–1074.

Shoulder function and 3-dimensional scapular kinematics in people with and without shoulder impingement syndrome. McClure PW, Michener LA, Karduna AR. 2006;86:1075–1090.

- The Bottom Line. Whitman J. 2006;86:1076.

V

Vascular Disease

Effect of a virtual reality–enhanced exercise protocol after coronary artery bypass grafting. Chuang TY, Sung WH, Chang HA, Wang RY. 2006;86:1369–1377.

Twice-weekly complete decongestive physical therapy in the management of secondary lymphedema of the lower extremities. Holtgrefe KM. 2006;86:1128–1136.

Vestibular System

Construction and validation of the 4-item Dynamic Gait Index. Marchetti GF, Whitney SL. 2006;86:1651–1660.